

2.5 in - 800 Lumens - 0-10V

Dimmer Make	Dimmer Series	Dimmer Model #	Types of Dimmer	Minimum Lamps or Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit) at 120V	Maximum Recommended Luminaires (per circuit) at 277V	Max Dimming percentage (%)	Min Dimming percentage (%)	Low End Start Time
Eaton	Slide Dimmer	SF10P	0-10v	1	101	131	100	3	<1s
Eaton	Decorator Dimmer	DF10P	0-10v	1	101	131	100	3	<1s
Leviton	Illumatech	IP710-DL	0-10v	1	101	118	96	3	<1s
Lutron	NTFTV	NOVA T	0-10v	1	160	185	100	3	<1s
Lutron	DIVA	DVTV	0-10v	1	160	185	100	3	<1s
Cooper Lighting Solutions	Greengate	CK4A	0-10v	1	200	400	100	3	<1s

4 in - 800 Lumens - 0-10V

Dimmer Make	Dimmer Series	Dimmer Model #	Types of Dimmer	Minimum Lamps or Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit) at 120V	Maximum Recommended Luminaires (per circuit) at 277V	Max Dimming percentage (%)	Min Dimming percentage (%)	Low End Start Time
Eaton	Slide Dimmer	SF10P	0-10v	1	96	128	100	4	<1s
Eaton	Decorator Dimmer	DF10P	0-10v	1	96	128	100	4	<1s
Leviton	Illumatech	IP710-DL	0-10v	1	96	116	100	4	<1s
Lutron	NTFTV	NOVA T	0-10v	1	106	181	100	4	<1s
Lutron	DIVA	DVTV	0-10v	1	106	181	100	4	<1s
Cooper Lighting Solutions	Greengate	CK4A	0-10v	1	133	423	100	4	<1s

4 in - 1200 Lumens - 0-10V

Dimmer Make	Dimmer Series	Dimmer Model #	Types of Dimmer	Minimum Lamps or Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit) at 120V	Maximum Recommended Luminaires (per circuit) at 277V	Max Dimming percentage (%)	Min Dimming percentage (%)	Low End Start Time
Eaton	Slide Dimmer	SF10P	0-10v	1	66	91	100	4	<1s
Eaton	Decorator Dimmer	DF10P	0-10v	1	66	91	100	4	<1s
Leviton	Illumatech	IP710-DL	0-10v	1	66	82	100	4	<1s
Lutron	NTFTV	NOVA T	0-10v	1	105	176	100	4	<1s
Lutron	DIVA	DVTV	0-10v	1	105	176	100	4	<1s
Cooper Lighting Solutions	Greengate	CK4A	0-10v	1	132	299	100	4	<1s

4 in Wall Wash - 760 Lumens - 0-10V

Dimmer Make	Dimmer Series	Dimmer Model #	Types of Dimmer	Minimum Lamps or Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit) at 120V	Maximum Recommended Luminaires (per circuit) at 277V	Max Dimming percentage (%)	Min Dimming percentage (%)	Low End Start Time
Eaton	Slide Dimmer	SF10P	0-10v	1	120	157	100	4	<1s
Eaton	Decorator Dimmer	DF10P	0-10v	1	120	157	100	4	<1s
Leviton	Illumatech	IP710-DL	0-10v	1	120	142	99	4	<1s
Lutron	NTFTV	NOVA T	0-10v	1	176	176	100	4	>1s
Lutron	DIVA	DVTV	0-10v	1	176	176	100	4	<1s
Cooper Lighting Solutions	Greengate	CK4A	0-10v	1	238	514	100	4	<1s

4 in Wall Wash - 1100 Lumens - 0-10V

Dimmer Make	Dimmer Series	Dimmer Model #	Types of Dimmer	Minimum Lamps or Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit) at 120V	Maximum Recommended Luminaires (per circuit) at 277V	Max Dimming percentage (%)	Min Dimming percentage (%)	Low End Start Time
Eaton	Slide Dimmer	SF10P	0-10v	1	81	110	100	3	<1s
Eaton	Decorator Dimmer	DF10P	0-10v	1	81	110	100	2	<1s
Leviton	Illumatech	IP710-DL	0-10v	1	81	99	100	2	>1s
Lutron	NTFTV	NOVA T	0-10v	1	129	176	100	2	<1s
Lutron	DIVA	DVTV	0-10v	1	129	176	100	2	<1s
Cooper Lighting Solutions	Greengate	CK4A	0-10v	1	162	359	100	2	<1s

6 in - 1500 Lumens - 0-10V

Dimmer Make	Dimmer Series	Dimmer Model #	Types of Dimmer	Minimum Lamps or Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit) at 120V	Maximum Recommended Luminaires (per circuit) at 277V	Max Dimming percentage (%)	Min Dimming percentage (%)	Low End Start Time
Eaton	Slide Dimmer	SF10P	0-10v	1	53	73	100	4	<1s
Eaton	Decorator Dimmer	DF10P	0-10v	1	53	73	100	4	<1s
Leviton	Illumatech	IP710-DL	0-10v	1	53	66	100	4	<1s
Lutron	NTFTV	NOVA T	0-10v	1	85	176	100	4	<1s
Lutron	DIVA	DVTV	0-10v	1	85	176	100	4	<1s
Cooper Lighting Solutions	Greengate	CK4A	0-10v	1	106	240	100	4	<1s

6 in - 2100 Lumens - 0-10V

Dimmer Make	Dimmer Series	Dimmer Model #	Types of Dimmer	Minimum Lamps or Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit) at 120V	Maximum Recommended Luminaires (per circuit) at 277V	Max Dimming percentage (%)	Min Dimming percentage (%)	Low End Start Time
Eaton	Slide Dimmer	SF10P	0-10v	1	42	56	100	4	<1s
Eaton	Decorator Dimmer	DF10P	0-10v	1	42	56	100	4	<1s
Leviton	Illumatech	IP710-DL	0-10v	1	42	50	97	4	<1s
Lutron	NTFTV	NOVA T	0-10v	1	67	140	100	4	<1s
Lutron	DIVA	DVTV	0-10v	1	67	140	100	4	<1s
Cooper Lighting Solutions	Greengate	CK4A	0-10v	1	84	175	96	4	<1s

6 in - 3000 Lumens - 0-10V

Dimmer Make	Dimmer Series	Dimmer Model #	Types of Dimmer	Minimum Lamps or Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit) at 120V	Maximum Recommended Luminaires (per circuit) at 277V	Max Dimming percentage (%)	Min Dimming percentage (%)	Low End Start Time
Eaton	Slide Dimmer	SF10P	0-10v	1	31	42	100	3	<1s
Eaton	Decorator Dimmer	DF10P	0-10v	1	31	42	100	3	<1s
Leviton	Illumatech	IP710-DL	0-10v	1	31	38	97	3	<1s
Lutron	NTFTV	NOVA T	0-10v	1	49	101	100	3	<1s
Lutron	DIVA	DVTV	0-10v	1	49	101	100	3	<1s
Cooper Lighting Solutions	Greengate	CK4A	0-10v	1	61	126	100	3	<1s

6 in Wall Wash - 1350 Lumens - 0-10V

Dimmer Make	Dimmer Series	Dimmer Model #	Types of Dimmer	Minimum Lamps or Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit) at 120V	Maximum Recommended Luminaires (per circuit) at 277V	Max Dimming percentage (%)	Min Dimming percentage (%)	Low End Start Time
Eaton	Slide Dimmer	SF10P	0-10v	1	58	80	100	3	<1s
Eaton	Decorator Dimmer	DF10P	0-10v	1	58	80	100	3	<1s
Leviton	Illumatech	IP710-DL	0-10v	1	58	72	100	3	<1s
Lutron	NTFTV	NOVA T	0-10v	1	93	182	100	3	<1s
Lutron	DIVA	DVTV	0-10v	1	93	182	100	3	<1s
Cooper Lighting Solutions	Greengate	CK4A	0-10v	1	117	260	100	3	<1s

6 in Wall Wash - 1890 Lumens - 0-10V

Dimmer Make	Dimmer Series	Dimmer Model #	Types of Dimmer	Minimum Lamps or Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit) at 120V	Maximum Recommended Luminaires (per circuit) at 277V	Max Dimming percentage (%)	Min Dimming percentage (%)	Low End Start Time
Eaton	Slide Dimmer	SF10P	0-10v	1	43	57	100	4	<1s
Eaton	Decorator Dimmer	DF10P	0-10v	1	43	57	100	4	<1s
Leviton	Illumatech	IP710-DL	0-10v	1	43	52	100	4	<1s
Lutron	NTFTV	NOVA T	0-10v	1	69	142	100	4	<1s
Lutron	DIVA	DVTV	0-10v	1	69	142	100	4	<1s
Cooper Lighting Solutions	Greengate	CK4A	0-10v	1	86	178	100	4	<1s

6 in Wall Wash - 2700 Lumens - 0-10V

Dimmer Make	Dimmer Series	Dimmer Model #	Types of Dimmer	Minimum Lamps or Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit) at 120V	Maximum Recommended Luminaires (per circuit) at 277V	Max Dimming percentage (%)	Min Dimming percentage (%)	Low End Start Time
Eaton	Slide Dimmer	SF10P	0-10v	1	32	43	100	4	<1s
Eaton	Decorator Dimmer	DF10P	0-10v	1	32	43	100	4	<1s
Leviton	Illumatech	IP710-DL	0-10v	1	32	39	96	4	<1s
Lutron	NTFTV	NOVA T	0-10v	1	50	104	100	4	<1s
Lutron	DIVA	DVTV	0-10v	1	50	104	100	4	<1s
Cooper Lighting Solutions	Greengate	CK4A	0-10v	1	63	130	95	4	<1s

8 in - 1000 Lumens - 0-10V

Dimmer Make	Dimmer Series	Dimmer Model #	Types of Dimmer	Minimum Lamps or Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit) at 120V	Maximum Recommended Luminaires (per circuit) at 277V	Max Dimming percentage (%)	Min Dimming percentage (%)	Low End Start Time
Eaton	Slide Dimmer	SF10P	0-10v	1	78	103	100	2	>1s
Eaton	Decorator Dimmer	DF10P	0-10v	1	78	103	100	2	>1s
Leviton	Illumatech	IP710-DL	0-10v	1	78	93	100	2	>1s
Lutron	NTFTV	NOVA T	0-10v	1	124	176	100	2	>1s
Lutron	DIVA	DVTV	0-10v	1	124	176	100	2	<1s
Cooper Lighting Solutions	Greengate	CK4A	0-10v	1	155	312	100	2	>1s

8 in - 3000 Lumens - 0-10V

Dimmer Make	Dimmer Series	Dimmer Model #	Types of Dimmer	Minimum Lamps or Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit) at 120V	Maximum Recommended Luminaires (per circuit) at 277V	Max Dimming percentage (%)	Min Dimming percentage (%)	Low End Start Time
Eaton	Slide Dimmer	SF10P	0-10v	1	28	37	100	4	<1s
Eaton	Decorator Dimmer	DF10P	0-10v	1	28	37	100	4	<1s
Leviton	Illumatech	IP710-DL	0-10v	1	28	33	100	4	<1s
Lutron	NTFTV	NOVA T	0-10v	1	46	94	100	4	<1s
Lutron	DIVA	DVTV	0-10v	1	46	94	100	4	<1s
Cooper Lighting Solutions	Greengate	CK4A	0-10v	1	57	117	100	4	<1s

8 in - 5000 Lumens - 0-10V

Dimmer Make	Dimmer Series	Dimmer Model #	Types of Dimmer	Minimum Lamps or Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit) at 120V	Maximum Recommended Luminaires (per circuit) at 277V	Max Dimming percentage (%)	Min Dimming percentage (%)	Low End Start Time
Eaton	Slide Dimmer	SF10P	0-10v	1	18	24	100	5	<1s
Eaton	Decorator Dimmer	DF10P	0-10v	1	18	24	100	5	<1s
Leviton	Illumatech	IP710-DL	0-10v	1	18	22	100	5	<1s
Lutron	NTFTV	NOVA T	0-10v	1	29	61	100	5	<1s
Lutron	DIVA	DVTV	0-10v	1	29	61	100	5	<1s
Cooper Lighting Solutions	Greengate	CK4A	0-10v	1	37	76	100	5	<1s

8 in - 1000 Lumens - 0-10V

Dimmer Make	Dimmer Series	Dimmer Model #	Types of Dimmer	Minimum Lamps or Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit) at 120V	Maximum Recommended Luminaires (per circuit) at 277V	Max Dimming percentage (%)	Min Dimming percentage (%)	Low End Start Time
Eaton	Slide Dimmer	SF10P	0-10v	1	10	14	100	5	<1s
Eaton	Decorator Dimmer	DF10P	0-10v	1	10	14	100	5	<1s
Leviton	Illumatech	IP710-DL	0-10v	1	10	12	100	5	<1s
Lutron	NTFTV	NOVA T	0-10v	1	16	35	100	5	<1s
Lutron	DIVA	DVTV	0-10v	1	16	35	100	5	<1s
Cooper Lighting Solutions	Greengate	CK4A	0-10v	1	20	44	100	5	<1s

2.5 in - 800 Lumens - Triac

Dimmer Make	Dimmer Series	Dimmer Model #	Minimum Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit)	Min Dimming percentage (%)	Max Dimming percentage (%)	Low End Start Time
Leviton	SureSlide	6674	1	12	1%	99%	<1s
Leviton	SureSlide	DSL06-ILZ	1	50	1%	99%	<1s
Leviton	Illumatech	IPL06-ILZ	1	12	1%	99%	<1s
Leviton	Decora	TSL06-1LW	1	42	5%	99%	<1s
Leviton	SureSlide	RDL06-10Z	1	50	0%	100%	NA ¹
Lutron	Toggler	TG-600P	1	50	0%	99%	NA ¹
Lutron	Nova T	NTFTU-6A	1	50	15%	100%	<1s
Lutron	Toggler	TGCL-153P	1	12	5%	99%	<1s
Lutron	Lumea	LG600P	1	50	0%	99%	NA ¹
EWD	Universal	TUL06P-C2	1	25	5%	99%	<1s
EWD	Universal	SUL06P	1	25	5%	99%	<1s
Lutron	Skylark	SCL-153P-WH	1	12	5%	99%	<1s
Lutron	Diva	DV603P	1	50	0%	99%	NA ¹
Lutron	Diva	DVCL-153P	1	12	5%	99%	<1s
Lutron	Maestro	MACL-153-M	1	12	5%	90%	<1s
Leviton	Legrand	H703PTU	1	25	5%	100%	<1s
Leviton	Vizia	VZE04	1	33	2%	100%	<1s
Lutron	Maestro	MAELV600	1	50	2%	100%	<1s
Lutron	Faedra	FAELV500	1	42	2%	100%	<1s
Lutron	Diva	DVELV303P	1	25	0%	99%	NA ¹
Lutron	Skylark	SELV300P	1	25	0%	100%	NA ¹
EWD	Smart	AAL06	1	25	5%	100%	<1s
Lightolier	Sunrise	ZP260QEW	1	21	5%	100%	<1s
Eaton	Devine	DE06P	1	50	0%	90%	NA ¹
Eaton	React	RI061	1	50	0%	100%	NA ¹
Eaton	Toggle	DAL06P	1	25	5%	100%	<1s
Eaton	Skye	SAL06P	1	25	5%	100%	<1s
Eaton	Skye	SLC03P	1	25	5%	100%	<1s
Eaton	Devine	DLC03P	1	25	5%	100%	<1s
Lutron(PANEL)	LCP128 (TRIAC)	LP-RPM-4U-120	1	162	0%	100%	NA ¹
Lutron(PANEL)	LCP128 (ELV)	LP-RPM-4A-120	1	101	0%	100%	NA ¹
Ecospec(PANEL)	LDCM	LDCM-PL-120-277-010V-GR	1	38	0%	100%	NA ¹
Greengate(PANEL)	PD216	PD216-AN10-120	1	162	0%	100%	NA ¹
Lutron	Contour	CT-103P	1	84	0%	99%	NA ¹
Lutron	Contour	CT-600P	1	50	0%	99%	NA ¹
Lutron	Rotary	D-600P	1	50	0%	99%	NA ¹
Lutron	Diva	DV-600P	1	50	0%	99%	NA ¹
Lutron	Glyder	GL-600P	1	50	0%	100%	NA ¹
Lutron	Lumia	LG-600PH	1	50	0%	99%	NA ¹
Lutron	Nova	N-600	1	50	0%	100%	NA ¹
Lutron	Skylark	S-600P	1	50	0%	100%	NA ¹
Lutron	Ariadni	AYLV-600P	1	38	0%	100%	NA ¹
Lutron	Glyder	GLV-600	1	38	0%	100%	NA ¹
Lutron	Diva	DVLV-600P	1	38	0%	99%	NA ¹
Lutron	Lumina	LG-103P	1	84	0%	99%	NA ¹
Lutron	Skylark	SLV-600P	1	38	0%	99%	NA ¹
EWD	Universal	DUL06P-C7	1	25	5%	99%	<1s
Lutron	Nova	NTLV-600	1	25	1%	100%	>1s
Lutron	Nova	NT-600	1	38	0%	100%	NA ¹

1. Dim to off.

4 in - 800 Lumens - Triac

Dimmer Make	Dimmer Series	Dimmer Model #	Minimum Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit)	Min Dimming percentage (%)	Max Dimming percentage (%)	Low End Start Time
Leviton	SureSlide	6674	1	12	5%	100%	<1s ²
Leviton	SureSlide	DSL06-ILZ	1	48	2%	100%	<1s
Leviton	Illuminatech	IPL06-ILZ	1	12	3%	100%	<1s
Leviton	Decora	TSL06-1LW	1	40	5%	100%	<1s
Leviton	SureSlide	RDL06-10Z	1	48	0%	100%	NA ¹
Lutron	Toggler	TG-600P	1	48	1%	100%	<1s
Lutron	Nova T	NTFTU-6A	1	48	19%	100%	<1s
Lutron	Toggler	TGCL-153P	1	12	5%	100%	<1s
Lutron	Lumea	LG600P	1	48	0%	100%	NA ¹
EWD	Universal	TUL06P-C2	1	24	5%	100%	<1s
EWD	Universal	SUL06P	1	24	5%	100%	<1s
Lutron	Skylark	SCL-153P-WH	1	12	5%	100%	<1s
Lutron	Diva	DV603P	1	48	0%	100%	NA ¹
Lutron	Diva	DVCL-153P	1	12	5%	100%	<1s
Lutron	Maestro	MACL-153-M	1	12	5%	100%	>1s
Leviton	Legrand	H703PTU	1	24	5%	100%	<1s
Leviton	Vizia	VZE04	1	32	4%	100%	<1s
Lutron	Maestro	MAELV600	1	48	4%	100%	<1s
Lutron	Faedra	FAELV500	1	40	4%	100%	<1s
Lutron	Diva	DVELV303P	1	24	1%	100%	<1s
Lutron	Skylark	SELV300P	1	24	1%	100%	<1s
EWD	Smart	AAL06	1	24	5%	100%	<1s
Lightolier	Sunrise	ZP260QEW	1	21	5%	100%	<1s
Eaton	Skye	SF8AP	1	77	20%	100%	<1s
Eaton	Devine	DE06P	1	48	0%	99%	NA ¹
Eaton	React	RI061	1	48	0%	100%	NA ¹
Eaton	Devine	TAL06P	1	24	5%	100%	<1s ²
Eaton	Toggle	DAL06P	1	24	5%	100%	<1s ²
Eaton	Skye	SAL06P	1	24	5%	100%	<1s ²
Eaton	Skye	SLC03P	1	24	5%	100%	<1s
Eaton	Devine	DLC03P	1	24	5%	100%	<1s
Eaton	Toggle	TI061	1	48	0%	99%	NA ¹
Lutron(PANEL)	LCP128 (TRIAC)	LP-RPM-4U-120	1	155	0%	100%	NA ¹
Lutron(PANEL)	LCP128 (ELV)	LP-RPM-4A-120	1	96	0%	100%	NA ¹
Ecospec(PANEL)	LDCM	LDCM-PL-120-277-010V-GR	1	36	0%	100%	NA ¹
Greengate(Panel)	PD216	PD216-AN10-120	1	155	0%	100%	NA ¹
Lutron	Contour	CT-103P	1	80	0%	100%	NA ¹
Lutron	Contour	CT-600P	1	48	0%	100%	NA ¹
Lutron	Rotary	D-600P	1	48	0%	100%	NA ¹
Lutron	Diva	DV-600P	1	48	0%	100%	NA ¹
Lutron	Glyder	GL-600P	1	48	0%	100%	NA ¹
Lutron	Lumia	LG-600PH	1	48	0%	100%	NA ¹
Lutron	Nova	N-600	1	48	0%	100%	NA ¹
Lutron	Skylark	S-600P	1	48	0%	100%	NA ¹
Lutron	Ariadni	AYLV-600P	1	36	1%	100%	<1s
Lutron	Glyder	GLV-600	1	36	0%	100%	NA ¹
Lutron	Diva	DVLV-600P	1	36	0%	100%	NA ¹
Lutron	Skylark	SLV-600P	1	36	0%	100%	NA ¹
EWD	Universal	DUL06P-C7	1	24	5%	100%	<1s
Lutron	Nova	NTLV-600	1	24	2%	100%	<1s
Lutron	Nova	NT-600	1	36	0%	100%	NA ¹

1. Dim to off.
2. Flash at Startup

4 in - 1200 Lumens - Triac

Dimmer Make	Dimmer Series	Dimmer Model #	Minimum Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit)	Min Dimming percentage (%)	Max Dimming percentage (%)	Low End Start Time
Leviton	SureSlide	6674	1	11	5%	100%	<1s
Leviton	SureSlide	DSL06-ILZ	1	47	5%	100%	<1s
Leviton	Illuminatech	IPL06-ILZ	1	11	7%	100%	<1s
Leviton	Vizia	VPI06	1	47	9%	100%	<1s
Leviton	Decora	TSL06-1LW	1	39	5%	100%	<1s
Leviton	SureSlide	RDL06-10Z	1	47	2%	100%	<1s
Lutron	Toggler	TG-600P	1	47	5%	100%	<1s
Lutron	Nova T	NTFTU-6A	1	47	28%	100%	<1s
Lutron	Maestro	MAW600	1	47	4%	100%	<1s
Lutron	Toggler	TGCL-153P	1	11	4%	100%	<1s
Lutron	Lumea	LG600P	1	47	1%	100%	<1s
EWD	Universal	TUL06P-C2	1	23	3%	100%	<1s
EWD	Universal	SUL06P	1	23	5%	100%	<1s
Lutron	Skylark	SCL-153P-WH	1	11	5%	100%	<1s
Lutron	Diva	DV603P	1	47	3%	100%	<1s
Lutron	Diva	DVCL-153P	1	11	5%	100%	<1s
Lutron	Maestro	MACL-153-M	1	11	5%	99%	<1s
Leviton	Legrand	H703PTU	1	23	4%	100%	<1s
Leviton	Vizia	VZE04	1	31	5%	100%	<1s
Leviton	Acenti	ATX10	1	79	8%	100%	<1s
Lutron	Maestro	MAELV600	1	47	6%	100%	<1s
Lutron	Faetra	FAELV500	1	39	5%	100%	<1s
Lutron	Diva	DVELV303P	1	23	2%	99%	<1s
Lutron	Skylark	SELV300P	1	23	2%	100%	<1s
EWD	Smart	AAL06	1	23	5%	100%	<1s
Lightolier	Sunrise	ZP260QEW	1	20	3%	100%	<1s
Eaton	Skye	SF8AP	1	76	37%	100%	<1s
Eaton	Devine	DE06P	1	47	3%	99%	<1s ²
Eaton	React	RI061	1	47	0%	100%	NA ¹
Eaton	Devine	TAL06P	1	23	5%	100%	<1s
Eaton	Toggle	DAL06P	1	23	5%	100%	<1s ²
Eaton	Skye	SAL06P	1	23	5%	100%	<1s ²
Eaton	Skye	SLC03P	1	23	4%	100%	<1s
Eaton	Devine	DLC03P	1	23	5%	100%	<1s
Eaton	Toggle	TI061	1	47	2%	96%	<1s
Lutron(PANEL)	LCP128 (TRIAC)	LP-RPM-4U-120	1	152	0%	100%	NA ¹
Lutron(PANEL)	LCP128 (ELV)	LP-RPM-4A-120	1	95	0%	100%	NA ¹
Ecospec(PANEL)	LDCM	LDCM-PL-120-277-010V-GR	1	35	0%	100%	NA ¹
Lutron	Contour	CT-103P	1	79	1%	100%	<1s
Lutron	Contour	CT-600P	1	47	1%	100%	<1s
Lutron	Rotary	D-600P	1	47	0%	99%	NA ¹
Lutron	Diva	DV-600P	1	47	1%	100%	<1s
Lutron	Glyder	GL-600P	1	47	1%	100%	<1s
Lutron	Lumia	LG-600PH	1	47	0%	100%	NA ¹
Lutron	Maestro	MA-600	1	47	3%	100%	<1s
Lutron	Nova	N-600	1	47	1%	100%	<1s
Lutron	Skylark	S-600P	1	47	0%	100%	NA ¹
Lutron	Ariadni	AYLV-600P	1	35	5%	100%	<1s
Lutron	Glyder	GLV-600	1	35	0%	100%	NA ¹
Lutron	Diva	DVLV-600P	1	35	2%	100%	<1s
Lutron	Lumina	LG-103P	1	79	4%	100%	<1s
Lutron	Skylark	SLV-600P	1	35	1%	100%	<1s
EWD	Universal	DUL06P-C7	1	23	5%	99%	<1s
Lutron	Nova	NTLV-600	1	23	5%	100%	<1s
Lutron	Nova	NT-600	1	35	2%	100%	<1s

1. Dim to off.
2. Flash at Startup

4 in Wall Wash - 760 Lumens - Triac

Dimmer Make	Dimmer Series	Dimmer Model #	Minimum Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit)	Min Dimming percentage (%)	Max Dimming percentage (%)	Low End Start Time
Leviton	SureSlide	6674	1	15	5%	100%	<1s ²
Leviton	SureSlide	DSL06-ILZ	1	60	3%	100%	<1s
Leviton	Illumatech	IPL06-ILZ	1	15	3%	99%	<1s
Leviton	Decora	TSL06-1LW	1	50	3%	100%	<1s
Leviton	SureSlide	RDL06-10Z	1	60	0%	100%	NA ¹
Lutron	Toggler	TG-600P	1	60	0%	99%	NA ¹
Lutron	Nova T	NTFTU-6A	1	60	14%	100%	<1s
Lutron	Toggler	TGCL-153P	1	15	4%	100%	<1s
Lutron	Lumea	LG600P	1	60	0%	100%	NA ¹
EWD	Universal	TUL06P-C2	1	30	5%	100%	<1s
EWD	Universal	SUL06P	1	30	5%	99%	<1s
Lutron	Skylark	SCL-153P-WH	1	15	5%	100%	<1s
Lutron	Diva	DV603P	1	60	0%	100%	NA ¹
Lutron	Diva	DVCL-153P	1	15	5%	99%	<1s
Lutron	Maestro	MACL-153-M	1	15	4%	91%	<1s
Leviton	Legrand	H703PTU	1	30	4%	100%	<1s
Leviton	Vizia	VZE04	1	40	2%	100%	<1s
Lutron	Maestro	MAELV600	1	60	2%	100%	<1s
Lutron	Faedra	FAELV500	1	50	2%	100%	<1s
Lutron	Diva	DVELV303P	1	30	0%	99%	NA ¹
Lutron	Skylark	SELV300P	1	30	0%	100%	NA ¹
EWD	Smart	AAL06	1	30	3%	100%	<1s
Lightolier	Sunrise	ZP260QEW	1	26	5%	100%	<1s
Eaton	Skye	SF8AP	1	96	3%	100%	<1s
Eaton	React	RI061	1	60	0%	100%	NA ¹
Eaton	Toggle	DAL06P	1	30	5%	100%	<1s ²
Eaton	Skye	SAL06P	1	30	5%	100%	<1s ²
Eaton	Skye	SLC03P	1	30	5%	100%	<1s
Eaton	Devine	DLC03P	1	30	4%	100%	<1s
Lutron(PANEL)	LCP128 (TRIAC)	LP-RPM-4U-120	1	192	0%	100%	NA ¹
Lutron(PANEL)	LCP128 (ELV)	LP-RPM-4A-120	1	120	0%	100%	NA ¹
Ecospec(PANEL)	LDCM	LDCM-PL-120-277-010V-GR	1	45	0%	100%	NA ¹
Greengate(Panel)	PD216	PD216-AN10-120	1	192	0%	100%	NA ¹
Lutron	Contour	CT-103P	1	100	0%	100%	NA ¹
Lutron	Contour	CT-600P	1	60	0%	100%	NA ¹
Lutron	Rotary	D-600P	1	60	0%	100%	NA ¹
Lutron	Diva	DV-600P	1	60	0%	100%	NA ¹
Lutron	Glyder	GL-600P	1	60	0%	100%	NA ¹
Lutron	Lumia	LG-600PH	1	60	0%	100%	NA ¹
Lutron	Nova	N-600	1	60	0%	100%	NA ¹
Lutron	Skylark	S-600P	1	60	0%	100%	NA ¹
Lutron	Ariadni	AYLV-600P	1	45	0%	100%	NA ¹
Lutron	Glyder	GLV-600	1	45	0%	100%	NA ¹
Lutron	Diva	DVLV-600P	1	45	0%	100%	NA ¹
Lutron	Lumina	LG-103P	1	100	0%	100%	NA ¹
Lutron	Skylark	SLV-600P	1	45	0%	100%	NA ¹
EWD	Universal	DUL06P-C7	1	30	5%	100%	<1s
Lutron	Nova	NTLV-600	1	30	0%	100%	NA ¹
Lutron	Nova	NT-600	1	45	0%	100%	NA ¹

1. Dim to off.
2. Flash at Startup

4 in Wall Wash - 1100 Lumens - Triac

Dimmer Make	Dimmer Series	Dimmer Model #	Minimum Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit)	Min Dimming percentage (%)	Max Dimming percentage (%)	Low End Start Time
Leviton	SureSlide	6674	1	10	3%	95%	<1s
Leviton	SureSlide	DSL06-ILZ	1	40	3%	96%	<1s
Leviton	Illumatech	IPL06-ILZ	1	10	5%	95%	<1s
Leviton	Decora	TSL06-1LW	1	34	3%	98%	<1s
Leviton	SureSlide	RDL06-10Z	1	40	1%	100%	>1s
Lutron	Toggler	TG-600P	1	40	3%	99%	<1s
Lutron	Nova T	NTFTU-6A	1	40	23%	100%	<1s
Lutron	Maestro	MAW600	1	40	3%	98%	<1s
Lutron	Toggler	TGCL-153P	1	10	5%	93%	<1s
Lutron	Lumea	LG600P	1	40	0%	96%	NA ¹
EWD	Universal	TUL06P-C2	1	20	5%	93%	<1s
EWD	Universal	SUL06P	1	20	4%	93%	<1s
Lutron	Skylark	SCL-153P-WH	1	10	5%	93%	<1s
Lutron	Diva	DV603P	1	40	1%	96%	<1s
Lutron	Diva	DVCL-153P	1	10	5%	92%	<1s
Leviton	Legrand	H703PTU	1	20	5%	100%	<1s
Leviton	Vizia	VZE04	1	27	5%	100%	<1s
Lutron	Maestro	MAELV600	1	40	5%	100%	<1s
Lutron	Faedra	FAELV500	1	34	5%	100%	<1s
Lutron	Diva	DVELV303P	1	20	2%	94%	<1s
Lutron	Skylark	SELV300P	1	20	1%	96%	<1s
EWD	Smart	AAL06	1	20	5%	100%	<1s
Lightolier	Sunrise	ZP260QEW	1	17	5%	100%	<1s
Eaton	Skye	SF8AP	1	65	29%	100%	<1s
Eaton	React	RI061	1	40	0%	100%	NA ¹
Eaton	Devine	TAL06P	1	20	5%	100%	<1s
Eaton	Toggle	DAL06P	1	20	5%	100%	<1s
Eaton	Skye	SAL06P	1	20	5%	100%	<1s
Eaton	Skye	SLC03P	1	20	5%	100%	<1s
Eaton	Devine	DLC03P	1	20	4%	100%	<1s
Lutron(PANEL)	LCP128 (TRIAC)	LP-RPM-4U-120	1	130	0%	100%	NA ¹
Lutron(PANEL)	LCP128 (ELV)	LP-RPM-4A-120	1	81	0%	97%	NA ¹
Ecospec(PANEL)	LDCM	LDCM-PL-120-277-010V-GR	1	30	0%	100%	NA ¹
Greengate(Panel)	PD216	PD216-AN10-120	1	130	0%	100%	NA ¹
Lutron	Contour	CT-103P	1	68	0%	97%	NA ¹
Lutron	Contour	CT-600P	1	40	0%	97%	NA ¹
Lutron	Rotary	D-600P	1	40	0%	95%	NA ¹
Lutron	Diva	DV-600P	1	40	0%	96%	NA ¹
Lutron	Glyder	GL-600P	1	40	0%	97%	NA ¹
Lutron	Lumia	LG-600PH	1	40	0%	97%	NA ¹
Lutron	Nova	N-600	1	40	0%	100%	NA ¹
Lutron	Skylark	S-600P	1	40	0%	97%	NA ¹
Lutron	Ariadni	AYLV-600P	1	30	5%	100%	<1s
Lutron	Glyder	GLV-600	1	30	0%	100%	NA ¹
Lutron	Diva	DVLV-600P	1	30	2%	96%	<1s
Lutron	Lumina	LG-103P	1	68	3%	97%	<1s
Lutron	Skylark	SLV-600P	1	30	0%	98%	NA ¹
EWD	Universal	DUL06P-C7	1	20	5%	95%	<1s
Lutron	Nova	NTLV-600	1	20	3%	100%	<1s
Lutron	Nova	NT-600	1	30	0%	100%	NA ¹

1. Dim to off.

6 in - 1500 Lumens - Triac

Dimmer Make	Dimmer Series	Dimmer Model #	Minimum Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit)	Min Dimming percentage (%)	Max Dimming percentage (%)	Low End Start Time
Leviton	SureSlide	6674	1	6	5%	100%	<1s ²
Leviton	SureSlide	DSL06-ILZ	1	27	5%	99%	<1s
Leviton	Illuminatech	IPL06-ILZ	1	6	5%	100%	<1s
Leviton	Vizia	VPI06	1	27	4%	100%	<1s
Leviton	Decora	TSL06-1LW	1	23	5%	100%	<1s
Leviton	SureSlide	RDL06-10Z	1	27	1%	100%	<1s
Lutron	Toggler	TG-600P	1	27	3%	99%	<1s
Lutron	Nova T	NTFTU-6A	1	27	19%	100%	<1s
Lutron	Maestro	MAW600	1	27	2%	100%	<1s
Lutron	Toggler	TGCL-153P	1	6	5%	99%	<1s
Lutron	Lumea	LG600P	1	27	0%	100%	>1s
EWD	Universal	TUL06P-C2	1	13	5%	100%	<1s
EWD	Universal	SUL06P	1	13	5%	100%	<1s
Lutron	Skylark	SCL-153P-WH	1	6	5%	100%	<1s ²
Lutron	Diva	DV603P	1	27	0%	100%	>1s
Lutron	Diva	DVCL-153P	1	6	5%	100%	<1s
Lutron	Maestro	MACL-153-M	1	6	5%	98%	<1s
Leviton	Legrand	H703PTU	1	13	5%	100%	<1s
Leviton	Vizia	VZE04	1	18	4%	100%	<1s
Lutron	Maestro	MAELV600	1	27	4%	100%	<1s
Lutron	Faedra	FAELV500	1	23	4%	100%	<1s
Lutron	Diva	DVELV303P	1	13	1%	100%	<1s
Lutron	Skylark	SELV300P	1	13	1%	100%	<1s
EWD	Smart	AAL06	1	13	6%	100%	<1s
Lightolier	Sunrise	ZP260QEW	1	12	5%	100%	<1s
Eaton	Skye	SF8AP	1	44	23%	100%	<1s
Eaton	React	RI061	1	27	0%	100%	NA ¹
Eaton	Devine	TAL06P	1	13	4%	100%	<1s ²
Eaton	Toggle	DAL06P	1	13	5%	100%	<1s ²
Eaton	Skye	SAL06P	1	13	5%	100%	<1s ²
Eaton	Skye	SLC03P	1	13	5%	100%	<1s
Eaton	Devine	DLC03P	1	13	5%	100%	<1s
Eaton	Toggle	TI061	1	27	0%	94%	>1s
Lutron(PANEL)	LCP128 (TRIAC)	LP-RPM-4U-120	1	88	0%	100%	NA ¹
Lutron(PANEL)	LCP128 (ELV)	LP-RPM-4A-120	1	55	0%	100%	NA ¹
Ecospec(PANEL)	LDCM	LDCM-PL-120-277-010V-GR	1	20	0%	100%	NA ¹
Greengate(Panel)	PD216	PD216-AN10-120	1	88	0%	100%	NA
Lutron	Contour	CT-103P	1	46	0%	100%	>1s
Lutron	Contour	CT-600P	1	27	0%	100%	>1s
Lutron	Rotary	D-600P	1	27	0%	99%	NA ¹
Lutron	Diva	DV-600P	1	27	0%	100%	NA ¹
Lutron	Glyder	GL-600P	1	27	0%	100%	NA ¹
Lutron	Lumia	LG-600PH	1	27	0%	100%	NA ¹
Lutron	Maestro	MA-600	1	27	3%	100%	<1s
Lutron	Nova	N-600	1	27	0%	100%	>1s
Lutron	Skylark	S-600P	1	27	0%	100%	NA ¹
Lutron	Ariadni	AYLV-600P	1	20	3%	100%	<1s
Lutron	Glyder	GLV-600	1	20	0%	100%	NA ¹
Lutron	Diva	DVLV-600P	1	20	1%	99%	<1s
Lutron	Lumina	LG-103P	1	46	2%	99%	<1s
Lutron	Skylark	SLV-600P	1	20	0%	100%	>1s
EWD	Universal	DUL06P-C7	1	13	5%	99%	<1s
Lutron	Nova	NTLV-600	1	13	3%	100%	<1s
Lutron	Nova	NT-600	1	20	1%	100%	>1s

1. Dim to off.
2. Flash at Startup

6 in - 2100 Lumens - Triac

Dimmer Make	Dimmer Series	Dimmer Model #	Minimum Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit)	Min Dimming percentage (%)	Max Dimming percentage (%)	Low End Start Time
Leviton	SureSlide	6674	1	5	3%	96%	<1s
Leviton	SureSlide	DSL06-ILZ	1	21	4%	98%	<1s
Leviton	Illumatech	IPL06-ILZ	1	5	4%	96%	<1s
Leviton	Vizia	VPI06	1	21	3%	98%	<1s
Leviton	Decora	TSL06-1LW	1	17	4%	98%	<1s
Leviton	SureSlide	RDL06-10Z	1	21	1%	100%	>1s
Lutron	Toggler	TG-600P	1	21	2%	96%	<1s
Lutron	Nova T	NTFTU-6A	1	21	14%	100%	<1s
Lutron	Toggler	TGCL-153P	1	5	5%	91%	>1s
Lutron	Lumea	LG600P	1	21	0%	96%	NA ¹
EWD	Universal	TUL06P-C2	1	10	3%	93%	<1s
EWD	Universal	SUL06P	1	10	4%	92%	<1s
Lutron	Diva	DV603P	1	21	0%	95%	>1s
Leviton	Legrand	H703PTU	1	10	5%	100%	<1s
Leviton	Vizia	VZE04	1	14	3%	100%	<1s
Lutron	Maestro	MAELV600	1	21	4%	99%	<1s
Lutron	Faedra	FAELV500	1	17	3%	98%	<1s
EWD	Smart	AAL06	1	10	4%	97%	<1s
Lightolier	Sunrise	ZP260QEW	1	9	4%	99%	<1s
Eaton	Skye	SF8AP	1	33	16%	100%	<1s
Eaton	React	RI061	1	21	0%	100%	NA ¹
Eaton	Devine	TAL06P	1	10	5%	100%	<1s ²
Eaton	Toggle	DAL06P	1	10	5%	100%	<1s
Eaton	Skye	SAL06P	1	10	5%	100%	<1s ²
Eaton	Skye	SLC03P	1	10	5%	99%	<1s
Eaton	Devine	DLC03P	1	10	5%	100%	<1s
Lutron(PANEL)	LCP128 (TRIAC)	LP-RPM-4U-120	1	67	0%	100%	NA ¹
Lutron(PANEL)	LCP128 (ELV)	LP-RPM-4A-120	1	42	0%	92%	NA ¹
Ecospec(PANEL)	LDCM	LDCM-PL-120-277-010V-GR	1	15	0%	100%	NA ¹
Greengate(Panel)	PD216	PD216-AN10-120	1	67	0%	100%	>1s
Lutron	Contour	CT-103P	1	35	0%	97%	>1s
Lutron	Contour	CT-600P	1	21	0%	98%	<1s
Lutron	Rotary	D-600P	1	21	0%	95%	NA ¹
Lutron	Diva	DV-600P	1	21	0%	97%	NA ¹
Lutron	Glyder	GL-600P	1	21	0%	97%	>1s
Lutron	Lumia	LG-600PH	1	21	0%	97%	NA ¹
Lutron	Nova	N-600	1	21	0%	100%	>1s
Lutron	Skylark	S-600P	1	21	0%	98%	NA ¹
Lutron	Ariadni	AYLV-600P	1	15	3%	100%	<1s
Lutron	Glyder	GLV-600	1	15	0%	100%	>1s
Lutron	Diva	DVLV-600P	1	15	1%	97%	<1s
Lutron	Lumina	LG-103P	1	35	2%	98%	<1s
Lutron	Skylark	SLV-600P	1	15	0%	99%	>1s
EWD	Universal	SUL06P-C7	1	10	5%	95%	<1s
Lutron	Nova	NTLV-600	1	10	2%	100%	<1s

1. Dim to off.
2. Flash at Startup

6 in Wall Wash - 1350 Lumens - Triac

Dimmer Make	Dimmer Series	Dimmer Model #	Minimum Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit)	Min Dimming percentage (%)	Max Dimming percentage (%)	Low End Start Time
Leviton	SureSlide	6674	1	7	4%	100%	<1s
Leviton	SureSlide	DSL06-ILZ	1	29	5%	100%	<1s
Leviton	Illuminatech	IPL06-ILZ	1	7	4%	100%	<1s
Leviton	Decora	TSL06-1LW	1	24	4%	100%	<1s
Leviton	SureSlide	RDL06-10Z	1	29	1%	100%	<1s
Lutron	Toggler	TG-600P	1	29	2%	100%	<1s
Lutron	Nova T	NTFTU-6A	1	29	19%	100%	<1s
Lutron	Maestro	MAW600	1	29	2%	100%	<1s
Lutron	Toggler	TGCL-153P	1	7	5%	100%	<1s
Lutron	Lumea	LG600P	1	29	0%	100%	NA ¹
EWD	Universal	TUL06P-C2	1	14	4%	100%	<1s
EWD	Universal	SUL06P	1	14	5%	100%	<1s
Lutron	Skylark	SCL-153P-WH	1	7	5%	100%	<1s
Lutron	Diva	DV603P	1	29	0%	100%	>1s
Lutron	Diva	DVCL-153P	1	7	5%	100%	<1s
Lutron	Maestro	MACL-153-M	1	7	5%	98%	<1s
Leviton	Legrand	H703PTU	1	14	5%	100%	<1s
Leviton	Vizia	VZE04	1	19	3%	100%	<1s
Leviton	Acenti	ATX10	1	49	3%	100%	<1s
Lutron	Maestro	MAELV600	1	29	4%	100%	<1s
Lutron	Faedra	FAELV500	1	24	4%	100%	<1s
Lutron	Diva	DVELV303P	1	14	1%	100%	<1s
Lutron	Skylark	SELV300P	1	14	1%	100%	<1s
EWD	Smart	AAL06	1	14	4%	100%	<1s
Lightolier	Sunrise	ZP260QEW	1	12	4%	100%	<1s
Eaton	Skye	SF8AP	1	47	13%	100%	<1s
Eaton	Devine	DE06P	1	29	0%	97%	>1s
Eaton	React	RI061	1	29	0%	100%	NA ¹
Eaton	Devine	TAL06P	1	14	5%	100%	<1s ²
Eaton	Toggle	DAL06P	1	14	4%	100%	<1s
Eaton	Skye	SAL06P	1	14	5%	100%	<1s ²
Eaton	Skye	SLC03P	1	14	5%	100%	<1s
Eaton	Toggle	TI061	1	29	0%	94%	NA ¹
Lutron(PANEL)	LCP128 (TRIAC)	LP-RPM-4U-120	1	94	0%	100%	NA ¹
Lutron(PANEL)	LCP128 (ELV)	LP-RPM-4A-120	1	58	0%	100%	NA ¹
Ecospec(PANEL)	LDCM	LDCM-PL-120-277-010V-GR	1	22	0%	100%	NA ¹
Greengate(Panel)	PD216	PD216-AN10-120	1	94	0%	100%	NA ¹
Lutron	Contour	CT-103P	1	49	0%	100%	NA ¹
Lutron	Contour	CT-600P	1	29	0%	100%	NA ¹
Lutron	Rotary	D-600P	1	29	0%	100%	NA ¹
Lutron	Diva	DV-600P	1	29	0%	100%	NA ¹
Lutron	Glyder	GL-600P	1	29	0%	100%	NA ¹
Lutron	Lumia	LG-600PH	1	29	0%	100%	NA ¹
Lutron	Maestro	MA-600	1	29	3%	100%	<1s
Lutron	Nova	N-600	1	29	0%	100%	NA ¹
Lutron	Skylark	S-600P	1	29	0%	100%	NA ¹
Lutron	Ariadni	AYLV-600P	1	22	3%	100%	<1s
Lutron	Glyder	GLV-600	1	22	0%	100%	NA
Lutron	Diva	DVLV-600P	1	22	1%	100%	<1s
Lutron	Lumina	LG-103P	1	49	1%	100%	<1s
Lutron	Skylark	SLV-600P	1	22	0%	100%	NA ¹
EWD	Universal	DUL06P-C7	1	14	5%	100%	<1s
Lutron	Nova	NTLV-600	1	14	2%	100%	<1s
Lutron	Nova	NT-600	1	22	1%	100%	<1s

1. Dim to off.
2. Flash at Startup

6 in Wall Wash - 1890 Lumens - Triac

Dimmer Make	Dimmer Series	Dimmer Model #	Minimum Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit)	Min Dimming percentage (%)	Max Dimming percentage (%)	Low End Start Time
Leviton	SureSlide	6674	1	5	4%	100%	<1s ²
Leviton	SureSlide	DSL06-ILZ	1	21	4%	100%	<1s
Leviton	Illuminatech	IPL06-ILZ	1	5	4%	100%	<1s
Leviton	Decora	TSL06-1LW	1	18	4%	100%	<1s
Leviton	SureSlide	RDL06-10Z	1	21	1%	100%	>1s
Lutron	Toggler	TG-600P	1	21	2%	97%	<1s
Lutron	Nova T	NTFTU-6A	1	21	16%	100%	<1s
Lutron	Toggler	TGCL-153P	1	5	4%	98%	<1s
Lutron	Lumea	LG600P	1	21	0%	100%	NA ¹
EWD	Universal	TUL06P-C2	1	10	4%	99%	<1s
EWD	Universal	SUL06P	1	10	4%	99%	<1s
Lutron	Skylark	SCL-153P-WH	1	5	4%	97%	<1s
Lutron	Diva	DV603P	1	21	1%	100%	>1s
Lutron	Diva	DVCL-153P	1	5	4%	97%	<1s
Leviton	Legrand	H703PTU	1	10	5%	100%	<1s
Leviton	Vizia	VZE04	1	14	3%	100%	<1s
Leviton	Acenti	ATX10	1	36	4%	100%	<1s
Lutron	Maestro	MAELV600	1	21	4%	100%	<1s
Lutron	Faedra	FAELV500	1	18	3%	100%	<1s
Lutron	Diva	DVELV303P	1	10	1%	91%	<1s
Lutron	Skylark	SELV300P	1	10	1%	95%	<1s
EWD	Smart	AAL06	1	10	5%	100%	<1s
Lightolier	Sunrise	ZP260QEW	1	9	3%	100%	<1s
Eaton	Skye	SF8AP	1	34	21%	100%	<1s
Eaton	React	RI061	1	21	0%	100%	NA ¹
Eaton	Devine	TAL06P	1	10	5%	100%	<1s ²
Eaton	Toggle	DAL06P	1	10	5%	100%	<1s
Eaton	Skye	SAL06P	1	10	5%	100%	<1s ²
Eaton	Skye	SLC03P	1	10	5%	100%	<1s
Eaton	Devine	DLC03P	1	10	5%	100%	<1s
Lutron(PANEL)	LCP128 (TRIAC)	LP-RPM-4U-120	1	69	0%	100%	NA ¹
Lutron(PANEL)	LCP128 (ELV)	LP-RPM-4A-120	1	43	0%	97%	NA ¹
Ecospec(PANEL)	LDCM	LDCM-PL-120-277-010V-GR	1	16	0%	100%	NA ¹
Lutron	Contour	CT-103P	1	36	0%	100%	NA ¹
Lutron	Contour	CT-600P	1	21	0%	100%	NA ¹
Lutron	Rotary	D-600P	1	21	0%	99%	NA ¹
Lutron	Diva	DV-600P	1	21	0%	100%	NA ¹
Lutron	Glyder	GL-600P	1	21	0%	100%	NA ¹
Lutron	Lumia	LG-600PH	1	21	0%	100%	NA ¹
Lutron	Nova	N-600	1	21	1%	100%	>1s
Lutron	Skylark	S-600P	1	21	0%	100%	NA
Lutron	Ariadni	AYLV-600P	1	16	3%	100%	<1s
Lutron	Glyder	GLV-600	1	16	0%	100%	NA ¹
Lutron	Diva	DVLV-600P	1	16	1%	100%	<1s
Lutron	Lumina	LG-103P	1	36	2%	100%	<1s
Lutron	Skylark	SLV-600P	1	16	0%	100%	NA ¹
EWD	Universal	DUL06P-C7	1	10	4%	99%	<1s
Lutron	Nova	NTLV-600	1	10	3%	100%	<1s
Lutron	Nova	NT-600	1	16	1%	100%	<1s

1. Dim to off.
2. Flash at Startup

8 in - 1000 Lumens - Triac

Dimmer Make	Dimmer Series	Dimmer Model #	Minimum Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit)	Min Dimming percentage (%)	Max Dimming percentage (%)	Low End Start Time
Leviton	SureSlide	6674	1	9	2%	99%	<1s
Leviton	SureSlide	DSL06-ILZ	1	39	2%	100%	<1s
Leviton	Illumatech	IPL06-ILZ	1	9	2%	99%	<1s
Leviton	Decora	TSL06-1LW	1	32	2%	99%	<1s
Leviton	SureSlide	RDL06-10Z	1	39	0%	100%	NA ¹
Lutron	Toggler	TG-600P	1	39	0%	98%	NA ¹
Lutron	Nova T	NTFTU-6A	1	39	12%	100%	<1s
Lutron	Toggler	TGCL-153P	1	9	5%	96%	<1s
Lutron	Lumea	LG600P	1	39	0%	99%	NA ¹
EWD	Universal	TUL06P-C2	1	19	5%	98%	<1s
EWD	Universal	SUL06P	1	19	5%	97%	<1s
Lutron	Skylark	SCL-153P-WH	1	9	5%	96%	>1s
Lutron	Diva	DV603P	1	39	0%	99%	NA ¹
Lutron	Diva	DVCL-153P	1	9	5%	96%	>1s
Leviton	Legrand	H703PTU	1	19	3%	100%	<1s
Leviton	Vizia	VZE04	1	26	1%	100%	>1s
Lutron	Maestro	MAELV600	1	39	2%	100%	<1s
Lutron	Faedra	FAELV500	1	32	2%	100%	<1s
Lutron	Diva	DVELV303P	1	19	0%	94%	NA ¹
Lutron	Skylark	SELV300P	1	19	0%	97%	NA ¹
EWD	Smart	AAL06	1	19	3%	100%	<1s
Lightolier	Sunrise	ZP260QEW	1	16	4%	100%	<1s
Eaton	Skye	SF8AP	1	62	3%	100%	<1s
Eaton	React	RI061	1	39	0%	100%	NA ¹
Eaton	Devine	TAL06P	1	19	4%	100%	<1s ²
Eaton	Toggle	DAL06P	1	19	5%	100%	<1s
Eaton	Skye	SAL06P	1	19	5%	100%	<1s ²
Eaton	Skye	SLC03P	1	19	5%	100%	<1s
Eaton	Devine	DLC03P	1	19	5%	100%	<1s
Lutron(PANEL)	LCP128 (TRIAC)	LP-RPM-4U-120	1	125	0%	100%	NA ¹
Lutron(PANEL)	LCP128 (ELV)	LP-RPM-4A-120	1	78	0%	98%	NA ¹
Ecospec(PANEL)	LDCM	LDCM-PL-120-277-010V-GR	1	29	0%	100%	NA ¹
Greengate(PANEL)	PD216	PD216-AN10-120	1	125	0%	100%	NA ¹
Lutron	Contour	CT-103P	1	65	0%	99%	NA ¹
Lutron	Contour	CT-600P	1	39	0%	99%	NA ¹
Lutron	Rotary	D-600P	1	39	0%	98%	NA ¹
Lutron	Diva	DV-600P	1	39	0%	99%	NA ¹
Lutron	Glyder	GL-600P	1	39	0%	99%	NA ¹
Lutron	Lumia	LG-600PH	1	39	0%	99%	NA ¹
Lutron	Maestro	MA-600	1	39	1%	100%	<1s
Lutron	Nova	N-600	1	39	0%	100%	NA ¹
Lutron	Skylark	S-600P	1	39	0%	99%	NA ¹
Lutron	Ariadni	AYLV-600P	1	29	0%	100%	NA ¹
Lutron	Glyder	GLV-600	1	29	0%	100%	NA ¹
Lutron	Diva	DVLV-600P	1	29	0%	99%	NA ¹
Lutron	Lumina	LG-103P	1	65	0%	99%	NA ¹
Lutron	Skylark	SLV-600P	1	29	0%	99%	NA ¹
EWD	Universal	DUL06P-C7	1	19	5%	99%	<1s
Lutron	Nova	NTLV-600	1	19	1%	100%	>1s
Lutron	Nova	NT-600	1	29	0%	100%	NA ¹

1. Dim to off.
2. Flash at Startup

Dimmer Notes:

- 1) Start time is measured at the lowest dimmer setting.
- 2) Some LED dimmers have a "rapid start" design used to provide a momentary power boost to LED and CFL lamps during start-up. When a LED luminaire is on a dimmer with "rapid start" the boost may cause a momentary flash of the LED lighting. This "flash" is generated by the dimmer, and may be more noticeable when the dimmer is at a low setting. A solution is available with EATON dimmers which provide adjustment capability of the "rapid start": Devine (DAL06P), Accell (AAL06P), and Trace (TAL06P). Refer to product specifications online at www.eaton.com for more details.

Dimming Guide Disclaimer:

- 1) Leviton® is a registered trademark of Leviton Manufacturing Co. Inc.; Lutron® is a registered trademark of Lutron Electronics Co. Inc.; Lightolier® is a registered trademark of Philips Lighting; Hubbell® is a registered trademark of Hubbell Incorporated; Legrand® and Pass & Seymour® are registered trademarks of Legrand®; Eaton® is a registered trademark of Eaton Corporation. These companies and their tradenames, trademarks or brands, where noted, are associated with their respective company and are not associated with Cooper Lighting Solutions.
- 2) Testing conducted by Cooper Lighting Solutions is not a substitute for and does not imply certification by an independent laboratory or any other standards certification. Refer to the manufacturer specifications for more detailed information on product certifications and standards.
- 3) This is a representative list of typical dimmers as tested by Cooper Lighting Solutions for performance with the designated LED luminaires only. Test data contained in this literature is based upon dimmers obtained in the marketplace. Information about these other manufacturers products is obtained from packaging and published information made available by the manufacturer and is deemed to be reliable, but has not been verified. Dimmer performance and perceived limitations of the dimmers are based on factors outside of Cooper Lighting Solutions' control. The specifications of these dimming controls and their conditions of use may change without notice to Cooper Lighting Solutions or any other user. Cooper Lighting Solutions makes no specific recommendation on product selection and there are no warranties of performance or compatibility implied. Installer must ensure proper local and national electrical codes are followed; and that the dimmer application and condition of use is per dimmer manufacturer instructions and guidelines.