

SPECIFICATIONS

CONSTRUCTION

MOUNTING ARMS
3/4" Nominal (1.05" Actual) Sch 40, 6063 Aluminum Mounting Arms. Custom Lengths Available upon Request.

CERTIFICATIONS, LISTINGS & WARRANTY

MADE IN THE USA
Manufactured and Hand-Crafted in our 60,000 Square Foot Facility Located in Titusville, FL

CSA LISTED FOR WET LOCATIONS

LIMITED WARRANTY
For Additional Information on our Limited Warranty, Please See Our Terms & Conditions

SHADE & FINISHES

EMBLEM SHADES
Hand-Spun from High Purity 0.050" Thick 3003-O Temper Aluminum

POWDER COAT FINISHES
Polyester Powder Coat Finishes Are Electro-Statically Applied and Thermocured

LIGHT SOURCE


INCANDESCENT
(2) Medium Base E26 Sockets, 200W Max, 120 VAC

COMPACT FLUORESCENT
(2) Bi-Pin Base GU24 Sockets, 23W Max, 120 VAC




Different accessories completely alter the look and feel of a light. By selecting a durable cast guard and glass or a rugged wire cage, our lights take on a trendy industrial character. Not only are these accessories stylish, but they also protect the bulb in commercial or industrial settings!


GUARD OPTIONS



TGG Heavy Duty Cast Guard



CGG Standard Cast Guard



WGG Wire Guard



GLASS OPTIONS

Not Applicable with Halogen Lights



CLR
Clear




FST
Frosted



RIB
Ribbed

WIRE CAGE

Not Applicable with Guard and Glass or Select Shade Styles



WC Wire Cage


DIAMETER (A)	HEIGHT (B)
8"	2.7"
10"	2.9"
11"	3.2"
12"	3.4"
13"	3.7"
14"	3.9"
15"	4.2"
16"	4.4"
17"	4.7"
18"	4.9"
20"	5"

ACRYLIC DIFFUSER

Not Applicable with Guard and Glass, GU24 Sockets, or Select Shade Styles



Shade Not Included



ACR Acrylic Diffuser

*Please contact Barn Light Electric with any questions regarding applicable shade sizes and light sources.