



Ceiling Mount

Sky Panels, Flush Mount
& LED Disk Lights

Round & Square **Sky Panels**

10" to 18" **Flush Mount**
& 4" and 6" **Disk Lights**

Introducing the Sky Panels™

The ELCO Sky Panels™ were designed to replicate a small skylight. Their smooth, even glow comes from edge-lit LED technology and glare control lens. Suitable for any room, the ELCO Sky Panels™ have a subtle thickness of 0.62" and can be easily installed into our fire box for a 2-hour fire rating. Available in 4 sizes, 2 forms, and 2 finishes.

The Sky Panels™



DIMMABLE




90+ CRI



TITLE 24 COMPLIANT



INTEGRATED LED



IC RATED



AIRTIGHT



WET LOCATION



ENERGY STAR



Mounting Plate



Test Switch



Optional Emergency
Battery Backup (90 minutes)



Frosted Lens

Edge-lit LED Technology

Beveled Edge Design

4", 6", 8" & 12" Sky Panel™ Lighting


- 4", 6", 8" & 12" Round and Square LED Sky Panels
- Fits 3 1/2" and 4" Octagon and Round junction boxes with included mounting plate
- Fits 4" and 6" Housings with optional mounting accessories
- Edge-Lit LED technology with glare control lens for even glow
- Frosted lens and beveled edge design
- Dimmable to 10% with select dimmers
- IC Rated and Wet Location Rated
- ETL listed
- JA8 2016 E-Compliant

Input Power	11.8W - 13.7W
Lumens	850 - 1100
Color Temp.	2700K / 3000K / 4000K 3-CCT Switch
CRI	93+
Wet Location	UL listed
Dimmable	Triac/ELV or 0-10V
Beam Angle	60° Standard 10°, 25°, 36° Optional

4" to 12" Round Sky Panels™



4" to 12" Square Sky Panels™



Fits 3 1/2" and 4" Octagon and Round Junction Boxes with included mounting plate



Emergency Battery Backup

- 15W, Up to 900 lm of emergency output
- 90 minutes of emergency light
- Test switch and charge rate indicator
- 24-hour recharge time
- ETL listed, ENERGY STAR, JA8, Title 24 Certified
- 120V, 50/60 Hz.
- 7 7/8" O.D.
- For use with 4" & 6" Sky Panels Only



LED Decorative **Flush Mount** Lighting

- These residential and light commercial fixtures are the perfect lighting solution for any room design
- Modern and energy efficient ceiling and flush mount LED products will fulfill a variety of your lighting demands

LED Flush Mount Lights

Input Power	14W - 30W
Lumens	980 - 2100
Voltage	120V
Color Temp	3000K - 4000K
CRI	90+
Damp Loc	UL Listed

10" to 18"

SIZE	DIAMETER	HEIGHT
10"	9 7/8"	2 3/4"
12"	12 1/8"	3 3/8"
14"	14 1/8"	3 3/4"
16"	16 1/8"	4 3/4"
18"	18 1/8"	4 3/4"



Darby™ LED Flush Mounts



Available for 14"
Darby™ LED Flush Mount



Dustin™ LED Flush Mounts

12" to 16"

SIZE	DIAMETER	HEIGHT
12"	12 1/8"	3 3/8"
14"	14 1/8"	3 3/4"
16"	16 1/8"	4 3/8"

4" to 6" LED **Disk** Lights



4" & 6" Alva™ LED Disk Light
(Wet Location)



Junction Box



Recessed Housing



Square New Construction Box

