


Project:	Toshiba Lamp:
Type:	Notes:

Ordering Information

Ordering Code	Input Voltage (VAC)	Lamp Shape	Base Type	CCT ¹	Initial Lumens (lm) ²	Wattage (W)	Lamp Efficacy (lm/W)	Rated Life (hrs) ³	CRI	Power Factor	Equivalency ⁴	Lamp Weight lb(g)	Dimmable	ENERGY STAR
8G25/27F-UP	120	G25	E26	2700K	420	8.3	50.6	40,000	85	0.77	40W Incandescent	0.31 (141)	Yes	●
8G25/40F-UP	120	G25	E26	4000K	450	8.3	54.2	40,000	85	0.77	40W Incandescent	0.31 (141)	Yes	●


- CCT Range complies to ANSI C78.377-2008.
- Thermally stable typical lumens ($\pm 10\%$)
- Rated life is based on 70% lumen maintenance and engineering testing and probability analysis; life hours per ENERGY STAR[®] may vary.
- Equivalency based on the ENERGY STAR[®] Integral LED Lamp criteria for decorative lamps.

Note: All information consistent with IESNA LM-80-08 results and IESNA LM-79-08 testing completed by a qualified third party facility. All lamps meet ENERGY STAR Integral LED Lamp requirements and will be submitted for testing. Five-year warranty based on 12 hr/day usage. Toshiba LED Lighting Systems Division reserves the right to make changes and/or improvements in designs and/or dimensions without notice or obligation.



Dimensions

Model G25
MOL (A) 4.45" (113.03 mm)
Diameter (B) 3.15" (80.01 mm)



Note: Lamp shape conforms to ANSI C78.21-2003. Designed to comply with RoHS Directive 2002/95/EC.

Energy Savings

Ordering Code	40W Incandescent
8G25/27F-UP	\$139.48
8G25/40F-UP	\$139.48

Note: Energy savings based on using one bulb for 40,000 hr rated life at 11c/kWh. Does not include maintenance and replacement lamp savings.